




CLIMATIZOARE GREE

SC "Ecolux" SRL, Chisinau, str. Sf.Gheorghe 3; tel:
mob: +373 690 86774,+373 22 500 400 e-
mail:climate@ecolux.md; web: www.gree.md,

PRICE LIST U-Match

14.06.2021

| Tip CANAL ON/OFF seria U-MATCH | | | | |
|--|--|---------------|-------------|-----------|
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GU71PS/A1-K (GFH24K3HI) + GU71W/A1-M (GUHN24NK3HO) | 7.0 | 5/8" - 3/8" | 1200 |
| | GU85PS/A1-K + GU85W/A1-M | 8.3 | 5/8" - 3/8" | 1400 |
| | GU100PS/A1-K (GFH36K3HI) + GU100W/A1-M (GUHN36NM3HO) | 10.0 | 3/4" - 3/8" | 1600 |
| | GU140PS/A1-K (GFH48K3HI) + GU140W/A1-M (GUHN48NM3HO) | 14.0 | 3/4" - 1/2" | 2150 |
| | GU160PS/A1-K (GFH60K3HI) + GU160W/A1-M (GUHN60NM3HO) | 16.0 | 3/4" - 1/2" | 2400 |
| Tip CASETA ON/OFF seria U-MATCH | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GUD50T/A1-K+GU50W/A1-K | 5.0 | 1/2" - 3/8" | 1000 |
| | GU71T/A1-K(GKH24K3HI) + GU71W/A1-K(GUHN24NK3HO) | 7.0 | 5/8" - 3/8" | 1200 |
| | GU100T/A1-K (GKH36K3HI) + GU100W/A1-M (GUHN36NM3HO) | 10.0 | 3/4" - 3/8" | 1500 |
| | GU140T/A1-K (GKH48K3HI) + GU140W/A1-M (GUHN48NM3HO) | 14.0 | 3/4" - 1/2" | 2200 |
| GU160T/A1-K (GKH60K3HI) + GU160W/A1-M (GUHN60NM3HO) | 15.0 | 3/4" - 1/2" | 2400 | |
| Tip TAVAN-PODEA ON/OFF seria U-MATCH | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GTH24K3HI + GUHN24NK3HO (până la 70m2) | 7.2 | 5/8" - 3/8" | 1300 |
| GTH48K3B1I + GUHN48NM3A1O (până la 140m2) | 14 | 3/4" - 1/2" | 2400 | |
| | | | | |
| | | | | |

| Tip COLOANA (E-HEATER) ON/OFF seria FRESH WIND | | | | |
|---|---|--------------------------------|-------------|-------------|
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GVA60AH-M3NNA5A (până la 160m ²) | 15.53 | 1/2" - 3/4" | 2500 |
| Tip COLOANA (E-HEATER) ON/OFF seria T-FRESH | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GVH24AL-K3DNC7A (până la 70m ²) | 7,2 | 1/2" - 3/4" | 1600 |
| Tip CASETA seria U-MATCH Inverter R410A | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GKH24K3FI + GUHD24NK3FO (până la 70m ²) | 7.0 | 5/8" - 3/8" | 1750 |
| | GKH36K3FI + GUHD36NK3FO (până la 100m ²) | 10.0 | 5/8" - 3/8" | 2800 |
| | GKH48K3FI + GUHD48NK3FO (până la 130m ²) | 14.0 | 5/8" - 3/8" | 3500 |
| Tip DUCT seria U-MATCH Inverter R410A | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GFH24K3FI + GUHD24NK3FO (până la 70m ²) | 5.0 | 1/2" - 1/4" | 1800 |
| | GFH60K3FI + GUHD60NK3FO (până la 160m ²) | 16.0 | 3/4" - 3/8" | 3650 |
| Tip TAVAN-PODEA seria U-MATCH Inverter R410A | | | | |
|  | Model | Capacitate kW | Diam. țevi | Price USD |
| | GTH24K3FI + GUHD24NK3FO (până la 70m ²) | 7.0 | 5/8" - 3/8" | 1900 |
| | GTH48K3FI + GUHD48NK3FO (până la 130m ²) | 14.0 | 5/8" - 3/8" | 3400 |
| PERDEA DE AER | | | | |
|  | Model | Capacitate (m ³ /h) | Price USD | |
| | FM-1.25-9-K (fără schimbător de căldură) (900x193x215) | 1200 m ³ /h | 250 | |

Tip DUCT seria U-MATCH



| Model | Capacitate kW | Diam. țevi | Price USD |
|--|---------------|-------------|-----------|
| GUD35PS/A-T+GUD35W/HhA-T (12000bthu) (până la 40m2) | 3,5 | 1/4" - 3/8" | 1350 |
| GUD50PS/A-T+GUD50W/HhA-T (18000bthu) (până la 50m2) | 5,5 | 1/4" - 1/2" | 1500 |
| GUD71PS/A-T+GUD71W/HhA-T (24000bthu) (până la 70m2) | 7.0 | 5/8" - 3/8" | 1800 |
| GUD85PS/A-T+GUD85W/HhA-T (30000bthu) (până la 90m2) | 8.5 | 5/8" - 3/8" | 2000 |
| GUD100PHS/A-T+GUD100W/HhA-X (36000bthu) (până la 100m2) | 10.0 | 5/8" - 3/8" | 3000 |
| GUD125PHS/A-T+GUD125W/HhA-X (42000bthu) (până la 120m2) | 12 | 5/8" - 3/8" | 3350 |
| GUD140PHS/A-T+GUD140W/HhA-X (48000bthu) (până la 130m2) | 13.4 | 5/8" - 3/8" | 3400 |
| GUD160PHS/A-T+GUD160W/NhA-X (60000 bthu) (până la 160m2) | 16.0 | 5/8" - 3/8" | 3750 |

Tip CASETA seria U-MATCH



| Model | Capacitate kW | Diam. țevi | Price USD |
|---|---------------|-------------|-----------|
| GUD35T/A-T+GUD35W/HhA-X (12000bthu) (până la 40m2) | 3,5 | 1/4" - 3/8" | 1500 |
| GUD50T/A-T+GUD50W/HhA-X (18000bthu) (până la 50m2) | 5,5 | 1/4" - 1/2" | 1650 |
| GUD71T/A-T+GUD71W/HhA-X (24000bthu) (până la 70m2) | 7,0 | 5/8" - 3/8" | 1990 |
| GUD85T/A-T+GUD85ZD/A-T (30000 bthu) (până la 90m2) | 8,5 | 5/8" - 3/8" | 2000 |
| GUD100T/A-T+GUD100ZD/A-T (36000bthu) (până la 100m2) | 10,00 | 5/8" - 3/8" | 3200 |
| GUD125T/A-T+GUD125W/HhA-X (42000bthu) (până la 120m2) | 12 | 5/8" - 3/8" | 3500 |
| GUD140T/A-T+GUD140W/HhA-X (48000bthu) (până la 140m2) | 13.4 | 5/8" - 3/8" | 3580 |
| GUD160T/A-T+GUD160ZD/A-T (60000bthu) (până la 160m2) | 16.0 | 5/8" - 3/8" | 3820 |

Tip Podea seria CONSOLE



| Model | Capacitate kW | Diam. țevi | Price USD |
|---------------------------------|---------------|------------|-----------|
| GEH09AA-K3DNA1D (până la 25 m2) | 2.7(0.5~3.3) | 1/4-3/8 | 870 |
| GEH12AA-K3DNA1D (până la 35 m2) | 3.5(0.6~4.0) | 1/4-3/8 | 900 |
| GEH18AA-K3DNA1D (până la 45 m2) | 5.3(1.05~6.5) | 1/4-1/2 | 1150 |